Food Allergy Action Plan

	D.O.B:		Place Child's
Asthmatic Yes*		on	Picture Here
Symptoms:		Give Checked Medication **(To be determined by physician author	**• izing treatment)
If a food allergen has been ingested, but no symptoms: Mouth Itching, tingling, or swelling of lips, tongue, mouth Epinephrine Antihistamine Skin Hives, itchy rash, swelling of the face or extremities Epinephrine Antihistamine Gut Nausea, abdominal cramps, vomiting, diarrhea Epinephrine Antihistamine Throat† Tightening of throat, hoarseness, hacking cough Epinephrine Antihistamine Lung† Shortness of breath, repetitive coughing, wheezing Epinephrine Antihistamine Heart† Thready pulse, low blood pressure, fainting, pale, blueness Epinephrine Antihistamine Epinephrine			
Other: give			
IMPORTANT: Asthma inhalers and/or antihistamines cannot be depended on to replace epinephrine in anaphylaxis. ◆ STEP 2: EMERGENCY CALLS ◆			
may be needed.			additional epinephrine
2. Dr	at		
3. Emergency co Name/Relationship		mber(s)	
a	1.)	2.)	<u> </u>
b	1.)	2.)	
c	1.)	2.)	
EVEN IF PARENT/GUARDIAN CANNOT BE REACHED, DO NOT HESITATE TO MEDICATE OR TAKE CHILD TO MEDICAL FACILITY!			
Parent/Guardian Signature		Date	
Doctor's Signature			